

1 Overview

In this lecture we will learn to know various helpful tools and techniques that are used in the analysis and processing of gridded climate data that is — for example — provided by climate models. First, we will learn to know the NetCDF file format in a few short practical demonstrations. Second, some analyses will be performed on available gridded climate data.

Topics that this lecture considers are:

- **Network Common Data Form (NetCDF)**: general information on the topic and how to use NetCDF files
- **Climate Data Operators (CDO)**: several examples of data reduction, analysis and transformation of NetCDF files, including operator piping

In contrast to the commonly used graphical user interface (GUI), most of the work will be done by employing the so-called shell and by formulating commands in a command line interface.

1.1 A very limited introduction to tools and methods employed in this exercise

Below some information regarding tools and methods, that are relevant for this exercise, is collected in the form of a very general overview. This information collection is intended as a supplement to the lecture. A few complementary information sources are listed in the subsection “Further Reading”. This list is obviously far from being complete. There is a vast amount of freely-accessible information available on-line and the interested student is kindly invited to use search engines towards locating and exploring further documentation.

1.1.1 NetCDF

A very precise definition on the characteristic and purpose of NetCDF is given in the NetCDF FAQ, “What is netCDF?” (for a link, see section “Further Reading”):

“NetCDF (network Common Data Form) is a set of interfaces for array-oriented data access and a freely distributed collection of data access libraries for C, Fortran, C++, Java, and other languages. The netCDF libraries support a machine-independent format for representing scientific data. Together, the interfaces, libraries, and format support the creation, access, and sharing of scientific data.”

NetCDF is a data-container that has been established as a widely used file-standard in science and engineering. It has been developed for storing array-oriented values in compact and interchangeable files. The most important characteristics of NetCDF files can as well be found in the NetCDF FAQ, “What is netCDF?”. An excerpt, that highlights the advantages of NetCDF with respect to this exercise, is listed here:

- Self-Describing. A NetCDF file includes a description of the data that it contains.
- Portable. A NetCDF file can be accessed by computers that apply different formats of storing integers, characters, and floating-point numbers.
- Scalable. A small subset of a large dataset may be accessed efficiently.
- Appendable. Data may be appended to a properly structured NetCDF file without copying the dataset or redefining its structure.

These characteristics make NetCDF a perfect choice for storing any kind of array-oriented data. The data form that we will work with in this exercise is as well array-oriented - therefore, we will use NetCDF as data container for both input and output of computations.

Since NetCDF is a binary format (in contrast to ASCII-text, which can be examined and edited by means of any common text editor), reading, writing and changing of NetCDF files necessitates the use of dedicated software. Fortunately, such software is freely available and can easily be installed on any UNIX system. The following tools are of particular importance:

- ncview (lightweight but mighty explorer for NetCDF files)
- ncbrowse (a Java-based alternative to ncview for Windows)
- Panoply (a flexible Java-based generator of geographic maps of NetCDF data)
- ncdump (tool for “dumping” the contents of a NetCDF file to human-readable ASCII-text; the complete description and structure of the NetCDF file is preserved)
- ncgen (complementary to ncdump, generates a binary NetCDF file from a NetCDF ASCII-dump)
- ncks (mighty toolbox for modification of NetCDF files)
- cdo (mighty toolbox for analysis and modification of NetCDF files, strong focus on climatological data)

1.1.2 CDO

While NetCDF defines a file format (and supporting programs and routines) that can store climatological data in a practical way, the CDO are a collection of operators that allow analysis and modification of gridded binary climatological data. In climate sciences, the CDO have become a very common software tool due to the vast number of available operators and their flexibility:

- more than 400 designated operators are available
- operator-piping allows the application of complex methods on climatological data in a compact manner
- the CDO are command-line programs; in combination with shell-scripts they can be automated, and enhanced complexity of data processing and analysis may be achieved

CDO operator piping in combination with shell-programming can be demonstrated shortly in the following very short bash-script, where two input files are interpolated to a common resolution, the resulting fields are added, the sum is time-averaged, and the result being stored in a new file. Shell-programming allows for the diagnostic output of additional information to the screen, here the spatial-average of the field resulting from the CDO-operator-chain.

```
1 #!/bin/bash
2
3 #select level 6, interpolate to 1x1 degree, and convert from deg. C to Kelvin
4 cdo timmean -addc,273.15 -remapcon,r360x180 -sellevel,6 input.nc output.nc
5 #note: the rightmost command is executed first!
6
7 #compute global mean
8 spat_avg=$(cdo output -fldmean output.nc)
9
10 #print result to screen
11 echo
12 echo
13 echo "spatial_average_of_global_ocean_surface_temperature_is_${spat_avg}_K."
14
15 #clean up
16 rm output.nc
```

1.1.3 The Bash, a popular UNIX-Shell

Due to their scripting ability Shells are a very powerful tool of UNIX-systems. This and the fact, that a large number of (free) software tools and programs are available on UNIX systems, makes UNIX-computers the choice for tackling complex scientific problems that involve the analysis and processing of large amounts of data. Particularly the bash-shell is a famous tool for scientists and commonly used during their daily work routine. Yet, giving a comprehensive overview on the use and ability of the bash clearly exceeds the scope of this course. Please refer to a bash-scripting guide referenced below if you would like to gain further insights into the topic and gain abilities in shell-scripting - and note: "... the only way to really learn scripting is to write scripts" (Advanced Bash-Scripting Guide).

1.2 Further Reading

The following resources provide an introduction to tools and methods considered in this exercise:

- NetCDF: The NetCDF FAQ
The NetCDF Fact Sheet
(<https://www.unidata.ucar.edu/software/netcdf/>)
- CDO: The CDO User's Guide
(<https://code.mpimet.mpg.de/projects/cdo/wiki/Cdo#Documentation>)
The CDO Reference Card
(https://code.mpimet.mpg.de/projects/cdo/embedded/cdo_refcard.pdf)
- Bash: Bash Guide for Beginners
(<http://www.tldp.org/LDP/Bash-Beginners-Guide/html/>)
Advanced Bash-Scripting Guide
(<http://www.tldp.org/LDP/abs/html/>)

You do not need to read in detail all the information available. Just skim over the text to get a general impression on what the tutorial will be about. Keep the links for reference for more detailed reading in case you need more information during the tutorial.

2 Exercise

2.1 A (subjective) remark: Windows vs. UNIX

For those of you who consider to work in a scientific field with a strong focus on programming or the analysis of large amounts of data: Consider to gain experience with a UNIX-environment, e.g. Ubuntu. In many scientific fields, definitely in climate modelling, UNIX-like operating-systems are the computing environments of choice. Many tools that are necessary for efficiently working in such scientific fields are not natively available on Windows-systems; even if ports are available, they may still suffer from limitations or incompatibilities. It definitely makes sense for you to setup an own Linux partition on your computer (after backuping your data, do not forget that), and to learn how to use and program the available software tools. For every free (free means both "free to use and modify" and "available without a fee") UNIX-environment (e.g. the linux distribution Ubuntu) and the included software tools, a vast amount of detailed – and as well "free" – documentation can be found on-line. There is documentation available for different levels of user experience, addressing both novices and experts.

2.2 Preconditions to solving the exercise problems

For this tutorial it is necessary to run some shell commands with CDO. There are various ways to do that. If you are looking for the least intrusive way on a computer that does not already have a linux system, then employing the dedicated tutorial server for your work is the way to go.

Even if you have a linux system, you can still use the tutorial server if you want to. The only task to connect to the tutorial server from a linux system is to establish an ssh connection, which is trivial on a linux system as basically all of these already come with the necessary ssh-client. This note also applies to apple systems.

If you use windows and would like to use the tutorial server, then it is likely that you first have to install a software like PuTTY that provides the necessary ssh-client.

If you decide to use the tutorial server then please consider the extended documentation (document "Linux Server for student's tutorial") that has been handed out together with this exercise assignment at hand. Further notes on alternative ways to enable you to perform the problem tasks on your own computer are available online at https://paleodyn.uni-bremen.de/study/Dyn2/preparation_NetCDF_CDO_tutorial.pdf – in the context of that document please note further remarks that are provided in the handout "Linux Server for students tutorial".

NOTE: IF YOU RECONFIGURE YOUR COMPUTER BY INSTALLING ADDITIONAL OPERATION SYSTEMS OR PERFORMING SIMILAR TASKS, ONLY DO THIS AFTER BACKING UP YOUR DATA TO AVOID INFORMATION LOSS IN CASE OF TECHNICAL PROBLEMS.

- best case: use a linux PC
it is easy to install the necessary software there (if it is not already available out-of-the-box); commands, how to install software, may vary from distribution to distribution. For Ubuntu, it is as simple as this: open a terminal and hack in the following commands with administrative rights:
 - `sudo apt-get install cdo`
 - `sudo apt-get install ncview`
 - `sudo apt-get install netcdf-bin`

For Ubuntu there is additional information on setting up your computer provided at https://paleodyn.uni-bremen.de/study/Dyn2/preparation_NetCDF_CDO_tutorial.pdf

If you have a different linux distribution, then it should be easy to adapt installation commands based on information retrieved via a web search with keywords "DISTNAME cdo how to install", replace "DISTNAME" with the name of your linux version

- alternative case: Install Software on MAC

There is some information available from a previous year's CDO lecture, see:

https://paleodyn.uni-bremen.de/study/Dyn2/preparation_NetCDF_CDO_tutorial.pdf

- alternative case: use the dedicated tutorial server at the Alfred Wegener Institute

From Linux and MAC you can directly connect to it from a terminal via SSH:

```
ssh -Y USERNAME@134.1.4.17
```

You need to apply for a user account (see below for details). After you have received information that your account has been created, you can connect by replacing "USERNAME" in the ssh-command with the username that you received. You will be asked for a password. This you will receive as well based on the procedure layed out below.

IMPORTANT:

- For security reasons this server is not reachable from the wild internet, but only from a specific range of IP addresses. You need to connect to it from within the University of Bremen network, i.e. you need to **have a Uni-Bremen VPN active** if you work from home.
- At first login to the server, you need to answer the question "Are you sure you want to ..." with "yes".
- Do not store any confidential or private information on the system, only use the system to solve the exercise problems!
- NOTE for WINDOWS 10 users:
Windows 10 comes with the ability to install an ubuntu system as a guest system. Respective documentation is available at:
<https://ubuntu.com/tutorials/tutorial-ubuntu-on-windows#1-overview>
If you go this route you can either install CDO on your own system (see information "best case: use a linux PC" for details on how to do this), or you use the Linux guest system to connect to the tutorial server.
- NOTE for MAC users:
MAC provides a terminal. From there you can login to the tutorial server. If you do not know how to do that, follow instructions at
<https://support.rackspace.com/how-to/connecting-to-linux-from-mac-os-x-by-using-terminal/>
under headline "Connect to the Server". You do not want to (and you cannot) log in as root as described in the example. Instead, use the command `ssh USERNAME@134.1.4.17`, replace USERNAME with your username that you receive via email after requesting an account.
- Use PuTTY to connect from a windows computer to a linux server:
It is possible to install the software PuTTY, that is necessary to login to the tutorial server, on any windows computer:
After downloading and installing PuTTY you can login to the tutorial server from your Windows computer. A description how to download, install, and configure PuTTY is provided here: <https://www.hostdime.com/kb/hd/linux-server/connect-using-putty-to-a-linux-server>. When configuring the connection, please use the following destination to connect to: `USERNAME@134.1.4.17`, replace USERNAME with your username that you receive via email after requesting an account.

- There are some other alternative methods on how to run the software for this tutorial. These are outlined in a howto I prepared for a previous year's tutorial:

https://paleodyn.uni-bremen.de/study/Dyn2/preparation_NetCDF_CDO_tutorial.pdf.

Yet, not all of these methods are possible at the moment. Handing out a flash drive with a bootable ubuntu system for home use, for example, is not possible right now – for obvious reasons

2.3 CDO tasks

In the following tasks we will process NetCDF files using the CDO. In order to fulfil these tasks, you may use the documentation (<https://code.zmaw.de/projects/cdo/embedded/index.html>). First, please download the data files from either one of the two links:

<https://1drv.ms/u/s!AnZSDMNwdkDMgbcbvHYRZdbG91KRAg?e=d1dXkW>

<https://1drv.ms/u/s!AnZSDMNwdkDMgcNAG30oB9LYcauPqQ?e=G6wNo5>

In case you are working on the tutorial server, or you work base on the virtual box image, downloading the files is not necessary as these are already available. On the tutorial server you find the files at the following path:

```
stepanek@fu-00143:~$ ls /home/cdo_tutorial/data/
INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc
LGM-W_echam5_6100-6200_climatological_mean.nc
```

To avoid the need to provide the full path `/home/cdo_tutorial/data/` whenever you access these files, you may link them to your home directory (that is the directory where you land when logging into the tutorial server):

```
stepanek@fu-00143:~$ ln -s /home/cdo_tutorial/data/ data
```

If you do that, the full path to the data files will simplify to `data/`:

```
stepanek@fu-00143:~$ ls data
INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc
LGM-W_echam5_6100-6200_climatological_mean.nc
```

Note that deleting the link to the data files deletes the link only, but keeps the original files intact (which is the intended behavior):

```
stepanek@fu-00143:~$ rm data
stepanek@fu-00143:~$ ls /home/cdo_tutorial/data/
INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc
LGM-W_echam5_6100-6200_climatological_mean.nc
```

File `INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc` represents the climatological average over 100 years of a recent climate as simulated with a coupled atmosphere-ocean general circulation model. File `LGM-W_echam5_6100-6200_climatological_mean.nc` represents similar data, but for the Last Glacial Maximum (i.e. the coldest part of the last ice age, about 21,000 years ago). During the Last Glacial Maximum the global average temperatures were lower than today, mostly due to a combination of different insolation conditions and greenhouse gas concentrations. Due to differences in albedo and circulation of the atmosphere with respect to today, some regions were extremely cold.

2.3.1 Identifying the contents and properties of the contained data

Consider the file INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc:

- Question 1: What is the physical unit of the field **wimax**, code 216? (1/2 Point)
- Question 2: What is the physical quantity stored in the field **t2min**, code 202? (1/2 Point)
- Question 3: What is the number of levels for field **sd**, code 155? Provide them. (1/2 Point)
- Question 4: On how many levels is field **dew2**, code 168, given? What reason is there for the number of levels? Hint: consider the physical meaning of this field. (1 Point)
- Question 5: Which months are contained in the file, which years? (1/2 Point)
- Question 6: What temporal resolution does the file have? (1/2 Point)
- Question 7: What is the distance between the centers of two grid cells along longitudes and latitudes? (1/2 Point)
- Question 8: How many longitudes are available per time step / variable? Note: A test for one 2D-/3D-variable and time step is sufficient. (1/2 Point)
- Question 9: What is the southernmost latitude of grid cell centers in the file? What is the latitude of the grid cell's center that is closest to the equator in the Northern Hemisphere? (1/2 Point)
- Question 10: How many climate variables are present in provided data set? (1/2 Point)

Exercise continues on the next page!!!

2.3.2 Climatological analysis of two climate states

Now we will analyse two different modelled climate states that are representative for the Pre-Industrial (PI, file INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc) and the Last Glacial Maximum (LGM, file LGM-W_echam5_6100-6200_climatological_mean.nc):

- Question 11: What is the global and annual average large scale precipitation (variable **aprl**, code 142) for PI? (1/2 Point)
- Question 12: Find the physical unit of field **aprl**, code 142. Based on this information, what is the result derived in Question 11 in units of m/year? (1/2 Point)
- Question 13: Extract the annual cycle of surface temperature (variable **temp2**, code 167) for climate state INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc at the location of Bremen (geographical coordinates: 53.0793°N, 8.8017°E) using nearest neighbour interpolation (CDO operator remapnn). Which values do you get in units of °C, using an appropriate conversion from the physical unit of the model output? (1 Point)
- Question 14: What is the minimum, maximum, and mean surface temperature (variable **temp2**, code 167) over a year in the spatial average over a rectangular area of 8°×8° around Bremen (geographical coordinates: 53.0793°N, 8.8017°E) for the PI climate state provided in file INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc? (1 Point)
- Question 15: Compute the spatial standard deviation of the annual mean surface temperature (variable **temp2**, code 167) in a rectangular area of 10°×10° around Bremen (geographical coordinates: 53.0793°N, 8.8017°E). Perform this computation for both the PI climate state, given by file INIOM_PD_echam5_main_mm_3901-4000_climatological_mean.nc and the LGM climate state, given by file LGM-W_echam5_6100-6200_climatological_mean.nc. Which climate state has the higher spatial variability? (1/2 Point)
- Question 16: How large is the meridional gradient of annual and zonal average surface temperature (i.e. the range of values across latitudes of variable **temp2**, code 167) in the Northern Hemisphere for both climate states PI and LGM? For which climate state is it larger? (1 Point)
- Question 17 (bonus question, you will earn up to one additional point): If you plot (e.g. with ncview or panoply) and compare the annual mean surface temperature (variable **temp2**, code 167) for both climate states PI and LGM: Which geographical region appears to have the largest influence on the difference between meridional temperature gradients in the Northern Hemisphere in both climate states? (up to 1 Point)

Notes on submission of this exercise's solutions: You may hand in one solution for a group of students (2-3 students). Students' names must be clearly stated on the solution. The answers to the questions can be sent until the due date to Christian Stepanek (Christian.Stepanek@awi.de).